



Take a look and discover our newest solutions

Spreader Beams Lifting Beams Adjustable Lifitng Beams Adjustable H Beam Multilug Beams Telescopic Spreader Beams Container Spreader Swivel Lifting Beams Self Propelled Trolleys Rotating Tolleys Tilting Coil Tong C Hooks



NEW EQUIPMENT WEARE GOING TO SURPRISE YOU!



TELESCOPIC Spreader Beams

The one and only!

The first MODULAR & TELESCOPIC in Europe. The telescopic struts can be used in combination with our standard struts and end-units, keeping the same working load limits and working lengths. **From 9 to 110 tons.**

To modify the length with a normal spreader you need between 30 minutes to 1 hour, with our new SBT you only need 2 minutes... Use it and you'll love it!



MINIFORCE30 SELF-PROPELLED TROLLEY

0)70


Our newest and beloved MINIFORCE30, with a super-reduced height, **30 ton capacity,** with many other features: Dual mode: use it with batteries or change to monophase 230v in one second (plugged & unplugged). Easy to replace Lithium batteries. The only one with OX-TOUCH SCREEN, connected with WIFI for technical service abroad, inspections, software upgrades... and much more!



OX & RUD, always working on new heavy lifting and moving equipment to help you out.



Do you need to lift & tilt your coil in a minute? Easy & quick positioning of the hydraulic clamp. Put your coil in vertical or horitzontal with no worries about the security. With the new OX-SELF BALANCING SYSTEM, and controlled by the same overhead crane control or via radio remote control.





Did you know that our ECO-BEAMS can NOW be turned into an H-SHAPED ECO-BEAM? Multiple configurations, lengths, accessories, and easy to mount, dismantle, inspect them. and more, much more!


MULTI LUG Container Lifting beam

The versatile solution to lift not just containers but many other equipments. Why just one lifting beam for one simple purpose? The perfect combination between a container lifting beam and a multilug beam.





Our spreader beams can lift up wathever you may need. A versatile solution, with modular lengths able to reach up to 36 mts spans, and with capacities **from 9 tons up to 1.350 tons,** all of them certified by DNV-GL.





Combine your sections of your OX Spreaders to create a frame to lift square or rectangular shaped loads, and reduce your required headroom in the process. Available in many adjustable lengths and **capacities from 9 to 170 tons.**



Add to your OX Spreader Beam the OX SBT telescopic strut and reduce your working time to a minimum! SBT telescopic struts are available with capacities **from 9 to 110 tons, and with lengths varying from 1.5 mts to 2.5 mts and from 2.5 mts to 4 mts.** We can produce bigger versions if needed.Soon other sizes available.

TELESCOPIC SPREADER



The ECO BEAM is an economical and fastsupply beam, with NO WELDINGS, easy to inspect and modify.

All beams and accessories are in stock and with quick delivery, **from 1 to 10 tons capacity and from 1 to 4 mts span.** There are 2 additional versions for 15 and 20 tons and up till 8 mts spans.

H)

1) 13





Convert your Eco-beam into an H Adjustable H-Beam. Capacities from 1 to 20 tons and 8000 x 5000mm (lenght x width). On request.



Multiple lifting options on top and bottom. Available in STOCK: 10t, 15t, 24t, 34t, 50t and 4 mts in length. With forklift pockets for handling, and optional legs. Available ON DEMAND: up to 110 tons and up to 10.8 mts length.






MULTI LUG Container Lifting beam

Multi Lug containter lifting beams from 10 to 34 ton capacities, and total length of 2.5 mts. With forklift pockets for handling, and optional legs.Use them for whatever you may need.



Lifting Beam with motorized electric turning system, to rotate long loads. With top clamping system for 2 or 4 hook cranes, at the bottom it is possible to place eyes or arms for lifting reels, coils or other elements. Possibility to integrate anti-tilting security of displaced COG loads, weighing, and more...








C Hooks are tools designed to lift coils in a balanced and controlled way. The construction details may vary to adapt to the specific needs of each client.



Tilting C hooks to manipulate elements with empty core such as coils and strips of Steel/Aluminum/etc, Rolls of wire rod or hose, paper roll, concrete pipes, etc. They can integrate options such as protections to prevent damaging the material as well as motorized turning, weighing, among others.



MINIFORCE30 SELF-PROPELLED TROLLEY

NEW Self-Propelled Trollley with a 30t capacity, **the only one on the market capable of working with monophase 230v and with Lithium batteries with a touch control screen, Wi-Fi connection and super-reduced height of 180 mm.** Speed of up to 6.5 m/min and autonomy of up to 5 hrs (batteries). **With rear trolleys.**




2 MODELS OX-**TBC**

Electro-hydraulic Self-Propelled Trollley with lifting cylinder and dual operation: connection to three-phase network or batteries with autonomy of up to 1 h. **60t and 100t capacities.**

Speed up to 4 m/min + R/C control. **With rear trolleys.**



Three-phase electric Self-Propelled Trollley **Capacities from 60t to 150t.** Speeds up to 5 m/min + R/C control. **With rear trolleys.**









4 & 6 ton capacity.

OX & RUD LIFTING SOLUTIONS, S.L.

OX, as a brand of the CFB group, was created in 1993, and in 2024 we joined a huge company, RUD Ketten Rieger & Dietz GmbH u. Co. KG., with the mission of offering and bringing to all countries the best solutions for the transport and lifting of loads in a controlled and safe way in any industrial, naval, railway, wind, oil & gas, offshore, automotive, aeronautical and small industries. Now, more than ever, closer to the customer, with distributors and branches on all five continents.

At OX & RUD, engineering, experience and advice are the basis of our quality.

OX & RUD, now bigger, stronger, better.

ISO & DNV CERTIFICATE

We have managed to manufacture and distribute machinery that meets the highest standards.

For this, it is an essential requirement to pass all quality controls, which is why we have the following certifications:

- · ISO 9001:2015
- · EN ISO 3834-2:2006 (Welding)
- DNV GL-ST-0378 (Standard Spreaders up to 1350t)
- DNV GL-ST-0377 ((Standard Spreaders up to 1350t)

OX & RUD is Lloyd Register Quality Assurance certified, in order to comply with all regulations, standards and norms of the European Union



"Our priority is to provide effective, profitable and safe solutions, to ensure long-term business relationships, through customer satisfaction."

> Emilio Blasco Founder





Hansa Tec Hebeund Zurrtechnik GmbH Rudolf-Diesel-Straße 17 27711 Osterholz-Scharmbeck Telefon 04791/96411-0 Telefax 04791/96411-15 E-Mail: info@hansatec.de Internet: www.hansatec.de